



# Service Manual

## Nakamichi TD-700 TD-700E TD-700D

Mobile Tuner/Cassette Deck



# CONTENTS

1. General	2
2. Removal Procedures	3
2. 1. Top and Bottom Covers	3
2. 2. Front Panel Ass'y	3
2. 3. Control P.C.B. Ass'y and Front Chassis	3
2. 4. Volume P.C.B. Ass'y	3
2. 5. Tuner P.C.B. Ass'y	4
2. 6. Motor P.C.B. Ass'y	4
2. 7. Amp. P.C.B. Ass'y	4
2. 8. Transport Mechanism Ass'y	4
3. Test Tapes and Gauges	5
4. Mechanical Adjustments	5
4. 1. Tape Speed Adjustment	5
4. 2. Tape Guide Height Adjustment	5
4. 3. Playback Head Height Adjustment and Azimuth Alignment	6
4. 4. Torque Adjustment	6
5. Parts Location for Electrical Adjustment	7
6. Electrical Adjustment	7
6. 1. Cassette Deck Section	7
6. 2. Tuner Section (FM Adjustment)	8
7. Mechanism Ass'y and Parts List	9
7. 1. Synthesis	9
7. 2. Front Panel Ass'y (A01)	11
7. 3. Transport Mechanism Ass'y (A02)	12
7. 4. Azimuth Controller Ass'y (B01)	13
7. 5. Side Chassis Ass'y (B02)	13
7. 6. Cassette Holder Ass'y (B03)	14
7. 7. Transport Mechanism Sub Ass'y (B04)	15
7. 8. Loading Mechanism Ass'y (B05)	17
7. 9. Head Slider Ass'y (C01)	18
7. 10. Master Plate Ass'y (C02)	18
7. 11. Reel Mechanism Ass'y (C03)	19
7. 12. Solenoid Plate Ass'y (D01)	19
7. 13. Loading Arm Ass'y (D02)	19
7. 14. Head Base Arm Ass'y (D03)	19
7. 15. FF Arm Ass'y (E01)	20
7. 16. Rewind Arm Ass'y (E02)	20
8. Mounting Diagrams and Parts List	21
8. 1. Line Filter P.C.B. Ass'y	21
8. 2. Transistor P.C.B. Ass'y	21
8. 3. Shut-off P.C.B. Ass'y	21
8. 4. Lamp P.C.B. Ass'y	21
8. 5. Solenoid P.C.B. Ass'y	21
8. 6. Buffer Amp. P.C.B. Ass'y	22
8. 7. Control P.C.B. Ass'y	22
8. 8. Volume P.C.B. Ass'y	22
8. 9. Tone Volume P.C.B. Ass'y	23
8. 10. Motor P.C.B. Ass'y	24
8. 11. Tuner P.C.B. Ass'y	25
8. 12. Amp. P.C.B. Ass'y	31
8. 13. Logic P.C.B. Ass'y	33
9. Schematic Diagrams	38
9. 1. IC Block Diagrams	38
9. 2. Schematic Diagrams	39
10. Wiring Diagrams	42
11. Timing Chart	44
12. Block Diagrams	45
12. 1. Tuner and Amplifier Section	45
12. 2. Mechanism Control Section	45
13. Specifications	46

# 1. GENERAL

## 1.1. Packing Materials, Owner's Manual and Auxiliary Parts

Part No.	Description	Q'ty
0F03845A	Outer Carton TD-700	1
0F03853A	Outer Carton TD-700E	1
0F03836A	Outer Carton TD-700D	1
0F03822A	Inner Carton TD-700 (U.S.A.)	1
0F03823A	Inner Carton TD-700 (Canada, Australia, Others & Japan)	1
0F03827A	Inner Carton TD-700E	1
0F03835A	Inner Carton TD-700D	1
0F03831A	Packing	2
0F03832A	Sleeve	1
0D04479A	Owner's Manual TD-700/TD-500 (Japanese)	1
0D04480A	Owner's Manual TD-700/TD-500 (English)	1
0D04482A	Owner's Manual TD-700/TD-500, TD-700E/TD-500E & TD-700D/TD-500D (English/German/French)	1
0D04481A	French Text TD-700/TD-500 (Canada)	1
0B90003A	Fuse 0.5A	1
0B90042A	Fuse 1.0A	1
0B81267E	4P Terminal TD-700 & TD-700E	1
0B81271E	4P Terminal TD-700D	1
0D04207A	Metal Stay (except Japan)	1
0B80067B	Ground Wire (except Japan)	1
0J04872A	U-shaped Grip (except Japan)	2
0H04459A	Trim Panel Rim (except Japan)	1
0J04879A	Sleeve Spacer A (thin type) (except Japan)	1
0J04880A	Sleeve Spacer B (thick type) (except Japan)	1
HA04666A	Mobile Traffic Information Processor TD-700	1

## 1.2. Note on Operation

If the Rewind button is pressed before the cassette tape loading process is completed, unexpected action may occur depending on the condition of the Mobile Tuner/Cassette Deck. The cassette tape may be ejected or played back unwillingly.

## 2. REMOVAL PROCEDURES

### 2.1. Top and Bottom Covers

Refer to Fig. 2.1.

- (1) Remove F01 (Mounting Sleeve).
- (2) Loosen screws F02 (1 pec.) and F03 (2 pcs.) and remove F04 (Top Cover).
- (3) Loosen screws F05 (1 pec.) and F06 (3 pcs.) and remove F07 (Bottom Cover).

### 2.2. Front Panel Ass'y

Refer to Fig. 2.2.

- (1) Remove the Top and Bottom Covers referring to item 2.1.
- (2) Loosen F01 and pull out knobs F02, F03 and F04.
- (3) Loosen F05 and remove F06 (Front Panel Ass'y including Cleaning Flap Ass'y).

### 2.3. Control P.C.B. Ass'y and Front Chassis

Refer to Fig. 2.2.

- (1) Remove the Front Panel Ass'y referring to item 2.2.
- (2) Loosen F07 and remove F08 (Control P.C.B. Ass'y).
- (3) Loosen F09 and F10 and remove F11, F12, F13 and F14.
- (4) Insert a small flat-blade screwdriver into the holes in the Main Chassis as shown in the figure and lift the upper part of the connector to unlock the flexible P.C.B. of the LCD Ass'y.
- (5) Disconnect connectors A and B and disassemble F15 (Front Chassis including LCD Ass'y, etc.).

### 2.4. Volume P.C.B. Ass'y

Refer to Fig. 2.2.

- (1) Remove the Front Chassis referring to item 2.3.
- (2) Loosen F16 and disassemble F17 and F18 (Volume P.C.B. Ass'y).




Fig. 2.1




Fig. 2.2

### 2.5. Tuner P.C.B. Ass'y

Refer to Fig. 2.3.

- (1) Remove the Top and Bottom Covers referring to item 2.1.
- (2) Loosen F01, disconnect connectors A and B, and remove F02 (Tuner P.C.B. Ass'y) and F03.

### 2.6. Motor P.C.B. Ass'y

Refer to Fig. 2.3.

- (1) Remove the Top and Bottom Covers referring to item 2.1.
- (2) Loosen F04 and disconnect connectors C, D, E and F.
- (3) Remove F05 (Motor P.C.B. Insulator) and F06 (Motor P.C.B. Ass'y).

### 2.7. Amp. P.C.B. Ass'y

Refer to Fig. 2.3.

- (1) Remove the Top and Bottom Covers referring to item 2.1.
- (2) Remove the Tuner P.C.B. Ass'y and Motor P.C.B. Ass'y referring to items 2.5 and 2.6.
- (3) Loosen F07 and disconnect connector G.
- (4) Lift F08 (Amp. P.C.B. Ass'y), disconnect connectors H, I and J, and remove F08 (Amp. P.C.B. Ass'y).

### 2.8. Transport Mechanism Ass'y

Refer to Fig. 2.4.

- (1) Remove the Front Chassis and the Volume P.C.B. Ass'y referring to items 2.3 and 2.4.
- (2) Loosen F01, remove F02, and lift F03 (Motor P.C.B. Ass'y).
- (3) Disconnect connectors A, B, C and D.
- (4) Pull out F04 (Amp. P.C.B. Ass'y) and disconnect connector E.
- (5) Loosen F05, lift F06 (Transport Mechanism Ass'y and Motor P.C.B. Ass'y), and disconnect connector F to separate F06.




Fig. 2.3




Fig. 2.4

### 3. TEST TAPES AND GAUGES

- (1) 1 kHz Track Alignment Tape (DA09007B)
- (2) 15 kHz Azimuth Tape (DA09004B)
- (3) 400 Hz Level Tape (DA09005B)
- (4) 3 kHz Speed & Wow/Flutter Tape (DA09006C)
- (5) Torque Gauge for Forward Playback (DA09082A)
- (6) Torque Gauge for F.F. & REW (DA09084A)
- (7) Head Alignment Gauge (DA09092A)

### 4. MECHANICAL ADJUSTMENTS

Note: Before adjustment, remove the Top and Bottom Covers referring to item 2.1.

#### 4.1. Tape Speed Adjustment

Refer to Fig. 4.1.

- (1) Connect a frequency counter to Output Jack.
- (2) Load a 3 kHz Speed & Wow/Flutter Tape and play it back.
- (3) Adjust the potentiometer incorporated in the Main Motor Assy to obtain a 3 kHz reading on the frequency counter.

#### 4.2. Tape Guide Height Adjustment

- (1) For Serial Nos.: C60502839 - (TD-700 & TD-700E) and C60701201 - (TD-700D)

Note: Remove the Cleaning Flap before loading the Head Alignment Gauge. When ejecting the Head Alignment Gauge pay attention so as not to strike against the Tape Slot Cover.

Refer to Fig. 4.2.

- (a) Turn the Azimuth Fine Tuning Control fully clockwise and then return it by 15 clicks to set it to the center position.
- (b) Load a base of the Head Alignment Gauge carefully and set the Mobile Tuner/Cassette Deck in Play mode.
- (c) Place a small block of the Head Alignment Gauge on the base.
- (d) Slide the small block against the Supply Tape Guide, and adjust the Tape Guide Height Adjustment Screw so that the small block is accepted by the Supply Tape Guide.

- (2) For Serial Nos.: C60501001 - 02838 (TD-700 & TD-700E) and C60701001 - 01200 (TD-700D)

Refer to Fig. 4.3.

- (a) Set the Azimuth Fine Tuning Control fully clockwise and then return it by 15 clicks to set it to the center position.
- (b) Connect a VTVM to the Output Jacks.
- (c) Load a 1 kHz Track Alignment Tape and play it back.
- (d) Turn the Tape Guide Height Adjustment Screw to obtain minimum readings on the VTVM for both channels.




Fig. 4.1




Fig. 4.2  
Serial No.: C60502839 -  
(TD-700 & TD-700E)  
C60701201 - (TD-700D)




Fig. 4.3  
Serial Nos.: C60501001 - 02838  
(TD-700 & TD-700E)  
C60701001 - 01200  
(TD-700D)

**4.3. Playback Head Height Adjustment and Azimuth Alignment**  
**(1) For Serial Nos.: C60502839 - (TD-700 & TD-700E) and C60701201 - (TD-700D)**

Refer to Fig. 4.4.

- Connect a VTVM to the Output Jacks.
- Set the Azimuth Fine Tuning Control to the center position referring to 4.2-(1)(a).
- Load a 1 kHz Track Alignment Tape and play it back.
- Turn the Playback Head Height Adjustment Screw to obtain minimum readings on the VTVM for both channels.
- Load a 15 kHz Azimuth Alignment Tape and play it back.
- Turn the Azimuth Alignment Screw to obtain maximum readings on the VTVM for both channels.
- Repeat above steps (c) through (f) one or two times to obtain optimum performance.

**(2) For Serial Nos.: C60501001 - 02838 (TD-700 & TD-700E) and C60701001 - 01200 (TD-700D)**

Refer to Fig. 4.5.


- Connect a VTVM to the Output Jacks.
- Load a 15 kHz Azimuth Alignment Tape and play it back.
- Turn the Azimuth Alignment Screw to obtain maximum readings on the VTVM for both channels.

Note: Playback Head Height Adjustment Screw is not provided in these Models.


**4.4. Torque Adjustment**

Refer to Fig. 4.6.


- Load a Torque Gauge for Forward Playback.
- Set the Mobile Tuner/Cassette Deck in Play mode.
- Check whether the playback torque and back tension torque on the Gauge are as follows:  
 Playback torque: 35 g-cm  $\pm$  5 to  $\pm$  10 g-cm  
 Back tension torque: 10 g-cm  $\pm$  4 g-cm
- If the playback torque is out of the above range, turn the Playback Torque Adjustment Screw with a small flat-blade screwdriver to obtain a satisfactory result.
- Set the Mobile Tuner/Cassette Deck in Stop mode and then load a Torque Gauge for F.F. & REW.
- Set the Mobile Tuner/Cassette Deck in F.F. or Rewind mode and check that the torque is in the range shown below:  
 F.F./Rewind torque: 60 g-cm  $\pm$  10 to  $\pm$  40 g-cm (50 to 100 g-cm)



**Fig. 4.4**  
 Serial No.: C60502839 -  
 (TD-700 & TD-700E)  
 C60701201 - (TD-700D)



**Fig. 4.5**  
 Serial No.: C60501001 - 02838  
 (TD-700 & TD-700E)  
 C60701001 - 01200  
 (TD-700D)



(Bottom View)

**Fig. 4.6**

## 5. PARTS LOCATION FOR ELECTRICAL ADJUSTMENT




Fig. 5

## 6. ELECTRICAL ADJUSTMENTS

### 6.1. Cassette Deck Section

Note: Electrical adjustment should be performed after mechanical adjustment is completed.

STEP	ITEM	SIGNAL SOURCE	OUTPUT CONNECTION	MODE	ADJUSTMENT	REMARKS
1	Preliminary Step			Volume - Max. Fader, Balance - Center Bass, Mid, Treble - Center		Set the Mobile Tuner/Cassette Deck to the initial mode (see MODE).
2	Playback Level Adjustment	400 Hz Level Tape	VIVM to IPL, TPR on Amp. P.C.B.	Playback Eq. SW - 70 $\mu$ s	Amp. P.C.B. VR101 VR201	1. Load a 400 Hz level tape and play it back. 2. Adjust VR101 (VR201) to obtain 350 mV on the VIVM.




Fig. 6 Connection Diagram for FM Adjustment



## 8.2. Tuner Section (FM Adjustment)

Note: Adjustment should be made in a shielded room in principle.

STEP	ITEM	OUTPUT CONNECTION	MODE	ADJUSTMENT	REMARKS
1	Preliminary Step	See Fig. 6	Mobile Tuner/Cassette Deck Dolby NR - OFF Band Selector - FM Volume - Max. Fader, Balance - Center Bass, Mid, Treble - Center FM Generator Frequency - 98 MHz RF Level - 65 dBf Modulation - 1 kHz (Stereo/Mono) Modulation Ratio - (See REMARKS)		1. Connect necessary instruments to the Mobile Tuner/Cassette Deck referring to connection diagram (Fig. 6). 2. Set the Mobile Tuner/Cassette Deck to the initial mode (see MODE).  Modulation Ratio: <b>Stereo</b> TD-700 (U.S.A. & Canada): Audio 1 kHz 90%, Pilot 19 kHz 10% TD-700 (Australia & Others), TD-700E & TD-700D: Audio 1 kHz 50%, Pilot 19 kHz 10%  <b>Mono</b> TD-700 (U.S.A. & Canada): Audio 1 kHz 100% TD-700 (Australia & Others), TD-700E & TD-700D: Audio 1 kHz 60%
2	IFT Adjustment		Mobile Tuner/Cassette Deck Same as above FM Generator Frequency - 98 MHz RF Level - 65 dBf Modulation - Mono	Front-end IFT Coil L301	With decreasing the RF level gradually from 65 dBf to 30 dBf, adjust IFT coil L301 to obtain minimum distortion. (Do not turn other components on the Front-end.)
3	MPX Decoder Adjustment	Frequency Counter to TP3 on Tuner P.C.B.	Mobile Tuner/Cassette Deck Same as above FM Generator Frequency - 98 MHz RF Level - 0 dBf Modulation - Mono	Tuner P.C.B. VR302	1. Cut the RF signal applied to the Mobile Tuner/Cassette Deck. 2. Adjust VR302 to obtain 76 kHz $\pm$ 1 kHz on the frequency counter.
4	Discriminator Adjustment	DC Millivoltmeter between TP1 and TP2 on Tuner P.C.B.	Mobile Tuner/Cassette Deck Same as above FM Generator Frequency - 98 MHz RF Level - 65 dBf Modulation - Mono	Tuner P.C.B. L302, L303	1. Turn L302 (black core) to obtain $\pm$ 50 mV on the DC millivoltmeter. 2. Turn L303 (white core) to obtain minimum distortion on the distortion meter. 3. Repeat above 2 and 3 two or three times.

STEP	ITEM	OUTPUT CONNECTION	MODE	ADJUSTMENT	REMARKS
5	Pilot Signal Cancellation Adjustment		Mobile Tuner/Cassette Deck Same as above FM Generator Frequency - 98 MHz RF Level - 65 dBf Modulation - Stereo	Tuner P.C.B. VR303	1. Set the modulation of the FM Generator as follows: o Cut audio signal 1 kHz o Apply only pilot 19 kHz 10% 2. Adjust VR303 to obtain minimum readings on the VTVM for both channels. The minimum reading should be less than -40 dB.
6	Stereo Separation		Mobile Tuner/Cassette Deck Same as above FM Generator Frequency - 98 MHz RF Level - 65 dBf Modulation - Stereo	Tuner P.C.B. VR301	1. Cut the 1 kHz modulation of R channel of the stereo modulator. Namely, apply 1 kHz signal only to L channel. 2. Adjust VR301 to obtain minimum reading for R channel on the VTVM. 3. Apply 1 kHz signal only to R channel. 4. Adjust VR301 to obtain minimum reading for L channel on the VTVM. 5. Check whether the readings in 2 and 4 are less than -30 dB. If not, repeat 1 through 4 till satisfactory results are obtained.
7	Offset Voltage Check on IC301	DC Millivoltmeter across IC301-14 and GND on Tuner P.C.B.	Mobile Tuner/Cassette Deck Same as above FM Generator Frequency - 98 MHz RF Level - 65 dBf Modulation - Mono		Note: This check will be required only if IF Amp. IC301 (LA1140) on the Tuner P.C.B. Ass'y is replaced with new one. At that time, conduct Step 3 (adjustment of L302 and L303 on Tuner P.C.B.) and then check the following:  1. Set the modulation signal of FM generator to 1 kHz (Mono). 2. Check whether the reading on the DC millivoltmeter is less than 5 mV. 3. If not, replace with another LA1140 and repeat above 1 and 2 after re-adjustment of Step 3.

## 7. MECHANISM ASS'Y AND PARTS LIST

### 7.1. Synthesis




Fig. 7.1

Schematic Ref. No.	Part No.	Description	Qty	Schematic Ref. No.	Part No.	Description	Qty
		<b>Synthesis</b>		37	BA05423A	Tuner P.C.B. Assy TD-700 (Japan)	1
01	HA04783A	Cleaning Flap Assy TD-700	1		BA05424B	Tuner P.C.B. Assy TD-700 (U.S.A. & Canada)	1
	HA04785A	Cleaning Flap Assy TD-700E	1		BA05458A	Tuner P.C.B. Assy TD-700 (Australia & Others), TD-700E & TD-700D	1
02	OH04455A	Asimuth Knob Cap	1		QJ04882B	Insulator A	1
03	HA04674A	Asimuth Knob Assy	1	38	BA05618A	Logic P.C.B. Assy TD-700 (Japan)	1
04	HA04675A	Volume Knob Assy	1	39	(Serial No.: C60503399 - )		1
05	OH04454A	Fader Knob	1		BA05619A	Logic P.C.B. Assy TD-700 (U.S.A. & Canada)	1
06	OH04457A	Tone Control Knob	3		(Serial No.: C60503399 - )		1
07	HA04775A	Front Panel Assy TD-700 (Serial No.: C60502501 - )	1		BA05620A	Logic P.C.B. Assy TD-700 (Australia & Others) & TD-700E	1
	HA04776A	Front Panel Assy TD-700E (Serial No.: C60502501 - )	1		(Serial No.: C60503399 - )		1
	HA04778A	Front Panel Assy TD-700D (Serial No.: C60701201 - )	1		BA05622A	Logic P.C.B. Assy TD-700D	1
	HA04677C	Front Panel Assy TD-700 (Serial Nos.: C60501001 - 02500)	1		(Serial No.: C60701251 - )		1
	HA04679C	Front Panel Assy TD-700E (Serial Nos.: C60501001 - 02500)	1		BA05407A	Logic P.C.B. Assy TD-700 (Japan)	1
	HA04681C	Front Panel Assy TD-700D (Serial Nos.: C60701001 - 01200)	1		BA05427A	Logic P.C.B. Assy TD-700 (U.S.A. & Canada)	1
08	BA05485A	LCD Assy TD-700 (Japan)	1		(Serial Nos.: C60501001 - 03398)		1
	BA05486A	LCD Assy TD-700 (U.S.A. & Canada)	1		BA05451A	Logic P.C.B. Assy TD-700 (Australia & Others) & TD-700E	1
	BA05487A	LCD Assy TD-700 (Australia & Others), TD-700E & TD-700D (LCD Assy includes the following)	1		BA05452A	(Serial Nos.: C60501001 - 03398) Logic P.C.B. Assy TD-700D (Serial Nos.: C60701001 - 01250) (Logic P.C.B. Assy includes the following)	1
09	(BA05516A)	(Buffer Amp. P.C.B. Assy (except for Japan))	(1)		(Line Filter P.C.B. Assy)		(1)
10	BA05435A	Illuminator Lamp Assy	1	40	(BA05501A)	(Transistor P.C.B. Assy)	(1)
11	OB70029A	Leaf Switch	1	41	(BA05497A)	(4P Terminal TD-700 & TD-700E)	(1)
12	HA04474B	Illuminator Cover	1	42	(OB81268B)	(4P Terminal TD-700D)	(1)
13	OB60121A	Control Lamp P.C.B.	1		(OB81272B)	Tuner Insulator B	(1)
14	OB90030A	Temp. 4V 65mA	3	43	QJ04859A	Antenna Cable	1
15	OH04670B	Illuminator B	1	44	OB81270A	Insulator B	1
16	QJ04851C	Front Chassis	1	45	QJ04883D	Stud	1
17	QJ04853A	Spacer	1	46	QJ04860B	Bottom Cover	1
18	BA05422A	Volume P.C.B. Assy TD-700 & TD-700E	1	47	OH04451G	Heat Sink Sheet	2
	BA05466A	Volume P.C.B. Assy TD-700D	1	48	QJ04896A	Illuminator B Sheet	1
19	QJ04887B	Motor P.C.B. Insulator	1	49	QJ04897B	Band EG-9	1
20	QJ04841B	Motor P.C.B. Assy	1	50	OB90021A	Insulator C	2
21	CA08716A	Transport Mechanism Assy (Serial No.: C60503399 - (TD-700 & TD-700E)) (Serial No.: C60701251 - (TD-700D))	1	51	QJ04895C	Wire Supporter	1
	CA08661B	Transport Mechanism Assy (Serial Nos.: C60501001 - 03398 (TD-700 & TD-700E)) (Serial Nos.: C60701001 - 01250 (TD-700D))	1	52	QJ04899A	Cushion B	1
	QJ04892A	Cushion A	3	53	OB41023A	Ceramic Capacitor 0.022u 25V (TD-700D)	1
22	BA05613A	Tone Volume P.C.B. Assy (Serial No.: C60503551 - (TD-700 & TD-700E)) (Serial No.: C60701301 - (TD-700D))	1	L01	OE03203A	ST2.6x5 @ Binding	12
23				L02	OE03204A	ST2x4 @ Binding	8
	BA05421A	Tone Volume P.C.B. Assy (Serial Nos.: C60501001 - 03550 (TD-700 & TD-700E)) (Serial Nos.: C60701001 - 01300 (TD-700D))	1	L03	OE00124A	M2x4 @ Pan	1
24	QJ04873B	Sleeve Lock Plate (except for Japan)	2	L04	OE03213A	ST2x4 @ Countersunk	4
25	QJ04864A	Sleeve Stopper (except for Japan)	2	L05	OE00053A	M2x5 @ Countersunk	2
26	QJ04864A	Main Chassis	1	L06	OE03072A	M2.6x6 @ Binding	2
27	OH04449B	Arm Protector	1	L07	OE00007A	M2.6x5 @ Countersunk	1
28	QJ04890A	Control P.C.B. Assy	1	L08	OE00791A	M2.6x5 @ Binding	5
29	BA05415A	Cable Holder	1	L09	—	Nut	(1)
30	QJ04856A	Top Cover	1	L10	—	Washer	(1)
31	OH04450F	Hold Screw (except for Japan)	1	L11	OE03240A	Nut Hex. M3	1
32	QJ04859B	Rubber Cap (except for Japan)	1	L12	OE03244A	M2x4 @ Flat	2
33	QJ04870A	Mounting Sleeve (except for Japan)	1	L13	OE03219A	ST2.6x6 @ Binding	4
34	QJ04852D	Amp. P.C.B. Insulator	1				
35	QJ04855B	Amp. P.C.B. Assy (Serial No.: C60503551 - (TD-700 & TD-700E)) (Serial No.: C60701301 - (TD-700D))	1				
	BA05611A	Amp. P.C.B. Assy (Serial Nos.: C60501001 - 03550 (TD-700 & TD-700E)) (Serial Nos.: C60701001 - 01300 (TD-700D))	1				
	BA05476B	Amp. P.C.B. Assy (Serial Nos.: C60501001 - 03550 (TD-700 & TD-700E)) (Serial Nos.: C60701001 - 01300 (TD-700D))	1				
36	QJ04886B	Tuner P.C.B. Insulator	1				

# 7.2. Front Panel Ass'y (A01)




Fig. 7.2

Schematic Ref. No.	Part No.	Description	Qty	Schematic Ref. No.	Part No.	Description	Qty
A01	HA04775A	Front Panel Ass'y TD-700	1	A01	HA04677C	Front Panel Ass'y TD-700	1
	HA04776A	Front Panel Ass'y TD-700E	1		HA04679C	Front Panel Ass'y TD-700E	1
	HA04778A	Front Panel Ass'y TD-700D	1		HA04681C	Front Panel Ass'y TD-700D	1
		Serial Nos.: C60502501 - C60701201 -				Serial Nos.: C60501001 - 02500 C60701001 - 01200	
01	HA04709A	Eject Button Ass'y	1	01	HA04709A	Eject Button Ass'y	1
02	HA04708A	Play Button Ass'y	1	02	HA04708A	Play Button Ass'y	1
03	HA04710A	Pause Button Ass'y	1	03	HA04710A	Pause Button Ass'y	1
04	OJ04868A	Shaft	1	04	OJ04868A	Shaft	1
05	HA04788A	Push Button Ass'y	6	05	HA04788A	Push Button Ass'y	6
06	OJ04849A	Push Button Spring	6	06	OJ04849A	Push Button Spring	6
07	OH04460B	LCD Lens	1	07	OH04460A	LCD Lens	1
08	OJ04878A	Cushion	6	08	OJ04878A	Cushion	6
09	OH04472C	Front Panel	1	09	OH04472C	Front Panel	1
10	OH04462B	Illuminator C	1	10	OH04462B	Illuminator C	1
11	HA04713A	FF Button Ass'y	1	11	HA04713A	FF Button Ass'y	1
12	HA04714A	Rewind Button Ass'y	1	12	HA04714A	Rewind Button Ass'y	1
13	OJ04850B	Spring	1	13	OJ04850B	Spring	1
14	OH04491C	Tape Slot Cover TD-700	1	14	OH04491C	Tape Slot Cover TD-700	1
	OH04503C	Tape Slot Cover TD-700E	1		OH04503C	Tape Slot Cover TD-700E	1
	OH04508C	Tape Slot Cover TD-700D	1		OH04508C	Tape Slot Cover TD-700D	1
15	OH04463C	Tape Slot Cover Protector	2	15	OH04463C	Tape Slot Cover Protector	2
16	OJ04902A	Guide	2	16	OJ04902A	Guide	2
17	OJ04891A	Sheet	1	17	OJ04891A	Sheet	1
18	OH04469B	Illuminator D	1	18	OH04469A	Illuminator D	1
19	OH04483A	Up/Down Button	1	19	OH04483A	Up/Down Button	1
20	OH04482A	Scan Button	1	20	OH04482A	Scan Button	1
21	OH04480A	Memory Button	1	21	OH04480A	Memory Button	1
22	OJ04848A	Button Spring	1	22	OJ04848A	Button Spring	1
23	OH04473A	Station Button	1	23	OH04473A	Station Button	1
24	OJ04846B	Reflector	6	24	OJ04846B	Reflector	6
L01	OE00961A	BT2x5 @ Binding	5	L01	OE00961A	BT2x5 @ Binding	5

### 7.3. Transport Mechanism Ass'y (A02)




Fig. 7.3

Schematic Ref. No.	Part No.	Description	Q'ty	Schematic Ref. No.	Part No.	Description	Q'ty
A02	CA08716A	Transport Mechanism Ass'y Serial No.: C60503399 - C60701251 -	1	A02	CA08661B	Transport Mechanism Ass'y Serial No.: C60501001 - 03398 C60701001 - 01250	1
01	CA08687A	Azimuth Controller Ass'y	1	01	CA08687A	Azimuth Controller Ass'y	1
02	0B70028A	Eject Switch	1	02	0B70028A	Eject Switch	1
03	0B82299B	2P Coupler	1	03	0B82299B	2P Coupler	1
04	CA08656A	Side Chassis Ass'y	1	04	CA08656A	Side Chassis Ass'y	1
05	OC08868A	Spring A	1	05	OC08868A	Spring A	1
06	OC08799A	Guide Collar B	1	06	OC08799A	Guide Collar B	1
07	OC08797A	Guide Roller A	2	07	OC08797A	Guide Roller A	2
08	CA08665A	Cassette Holder Ass'y	1	08	CA08665A	Cassette Holder Ass'y	1
09	OC08798A	Guide Collar C	1	09	OC08798A	Guide Collar C	1
10	GA02203B	P2C-3L Playback Head	1	10	GA02203B	P2C-3L Playback Head	1
11	0B82302A	4P-H Connector	1	11	0B82302A	4P-H Connector	1
12	CA08717A	Transport Mechanism Sub Ass'y	1	12	CA08665A	Transport Mechanism Sub Ass'y	1
13	CA08667A	Loading Mechanism Ass'y	1	13	CA08667A	Loading Mechanism Ass'y	1
L01	OE03189A	M2x3 @ Countersunk (Black Chromate)	1	L01	OE03189A	M2x3 @ Countersunk (Black Chromate)	1
L02	OE03216A	M1.4x2.5 @ Pan (Black Chromate)	1	L02	OE03216A	M1.4x2.5 @ Pan (Black Chromate)	1
L03	OE00222A	E-Ring 2mm	1	L03	OE00222A	E-Ring 2mm	1
L04	OE03185A	M1.7x6 @ Pan	1	L04	OE03185A	M1.7x6 @ Pan	1
L05	OE03186A	M2.6x2.8 @ Pan (Black Chromate)	2	L05	OE03186A	M2.6x2.8 @ Pan (Black Chromate)	2
L06	OE00839A	Grip 2.5mm	1	L06	OE00839A	Grip 2.5mm	2
L07	OE00120A	M2.6x3 @ Pan (Black Chromate)	3	L07	OE00120A	M2.6x3 @ Pan (Black Chromate)	1
L08	OE00783A	M2x3 @ Pan (Black Chromate)	2	L08	OE00783A	M2x3 @ Pan (Black Chromate)	2
L09	OC08858A	Wire Clamper	1	L09	OC08858A	Wire Clamper	1

#### 7.4. Azimuth Controller Ass'y (B01)




Fig. 7.4

#### 7.5. Side Chassis Ass'y (B02)




Fig. 7.5

Schematic Ref. No.	Part No.	Description	Q'ty	Schematic Ref. No.	Part No.	Description	Q'ty
B01	CA08687A	Azimuth Controller Ass'y Serial No.: C60501001 - C60701001 -	1	B02	CA08686A	Side Chassis Ass'y Serial No.: C60501001 - C60701001 -	1
01	OC08850B	Azimuth Cam Holder A	1	01	OC08828B	Rack Rail L	1
02	OC08856A	Plate Spring	1	02	CA08685A	Side Chassis L Ass'y	1
03	OC08896A	Cam Holder	1	03	CA08643B	G-Shaped Plate Ass'y	1
04	OC08777B	Azimuth Cam B	1	04	CA08644A	Slide Arm Ass'y	1
05	OC08854A	Joint Pin	1	05	OC08876A	Slide Arm Spring	1
06	OC08851B	Azimuth Cam Holder B	1	L01	OE03183A	M1.7x2.2 @Pan (Black Chromate)	2
07	OC08853A	Joint Bar	1	L02	OE03062A	Mylar Washer 2.6mm 2.6x5x0.25	6
L01	OE00922A	M2x3 @Pan (Black Chromate)	2	L03	OE00222A	E-Ring 2mm	3
				L04	OE03180A	Mylar Washer 2.6mm 2.6x6x0.25	1

# 7.6. Cassette Holder Ass'y (B03)




Fig. 7.6

Schematic Ref. No.	Part No.	Description	Qty
<b>B03</b>	<b>CA08665A</b>	<b>Cassette Holder Ass'y</b> Serial No.: C60501001 - C60701001 -	<b>1</b>
01	OC08890C	Plate Spring	1
02	OC08860F	Plate	1
03	CA08674D	Cassette Holder Sub Ass'y	1
04	OC08847A	Pinion Gear R	1
05	OC08846A	Pinion Gear L	1
06	OC08786A	Roller 1.5x4x2.5	1
07	OC08888B	Cassette Guide L	1
08	OC08887B	Cassette Guide R	1
09	OB70001A	Leaf Switch	2
10	OC08800B	Pinion Shaft	1
11	OB82301A	2P Coupler	1
L01	OE03208A	M1.4x2.5 @	2
L02	OE03190A	ST1.7x3 @ Pan (Black Chromate)	1
L03	OE00905A	Earth Lug 2mm	1
L04	OE00165A	E-Ring 1.2mm	1
L05	OE03184A	M1.7x5.5 @ Pan (Black Chromate)	2

# 7.7. Transport Mechanism Sub Ass'y (B04)




Fig. 7.7



Schematic Ref. No.	Part No.	Description	Q'ty	Schematic Ref. No.	Part No.	Description	Q'ty
B04	CA08717A	Transport Mechanism Sub Assy Serial No.: C60503399 - C60701251 -	1	B04	CA08663A	Transport Mechanism Sub Assy Serial Nos.: C60501001 - 03398 C60701001 - 01250	1
01	CA08617B	Take-up Pressure Roller Arm Sub Assy	1	01	CA08617B	Take-up Pressure Roller Arm Sub Assy	1
02	OC08878A	Pressure Roller Adjust Spring	2	02	OC08878A	Pressure Roller Adjust Spring	2
03	OC08689A	Roller Arm Sleeve	2	03	OC08689A	Roller Arm Sleeve	2
04	OC08694A	Pressure Roller Height Adjust Nut	1	04	OC08694A	Pressure Roller Height Adjust Nut	1
05	CA08618A	Supply Pressure Roller Arm Sub Assy	1	05	CA08618A	Supply Pressure Roller Arm Sub Assy	1
06	OC08756A	Tape Guide	1	06	OC08756A	Tape Guide	1
07	CA08679A	Head Slider Assy	1	07	CA08679A	Head Slider Assy	1
08	CA08656A	Azimuth Arm Assy	1	08	CA08656A	Azimuth Arm Assy	1
09	OC08891A	Azimuth Arm Spring	1	09	OC08891A	Azimuth Arm Spring	1
10	OC08867A	Lock Plate Spring	1	10	OC08867A	Lock Plate Spring	1
11	CA08622D	Play Lock Plate Assy	1	11	CA08622D	Play Lock Plate Assy	1
12	CA08623C	Rew Lock Plate Assy	1	12	CA08623C	Rew Lock Plate Assy	1
13	BA05430A	Solenoid P.C.B. Assy	1	13	BA05430A	Solenoid P.C.B. Assy	1
14	OC08829A	Rack Gear R	1	14	OC08829A	Rack Gear R	1
15	OC08817B	Guide Plate	1	15	OC08817B	Guide Plate	1
16	CA08657F	Mechanism Chassis Assy	1	16	CA08657F	Mechanism Chassis Assy	1
17	OB90027B	Main Solenoid G-825	2	17	OB90027B	Main Solenoid G-825	2
18	CA08629A	Take-up Flange Metal Assy	1	18	CA08629A	Take-up Flange Metal Assy	1
19	CA08630A	Supply Flange Metal Assy	1	19	CA08630A	Supply Flange Metal Assy	1
20	OB90028B	Lock Solenoid G-413	1	20	OB90028B	Lock Solenoid G-413	1
21	CA08678A	Master Plate Assy	1	21	CA08678A	Master Plate Assy	1
22	OC08884A	Pressure Roller Spring	1	22	OC08884A	Pressure Roller Spring	1
23	OC08679D	Centering Plate	1	23	OC08679D	Centering Plate	1
24	OC08881A	Control Plate Spring	1	24	OC08881A	Control Plate Spring	1
25	OC08880B	Head Base Spring	1	25	OC08880B	Head Base Spring	1
26	OC08877A	Centering Spring	1	26	OC08877A	Centering Spring	1
27	CA08612B	Solenoid Arm L Assy	1	27	CA08612B	Solenoid Arm L Assy	1
28	CA08613B	Solenoid Arm R Assy	1	28	CA08613B	Solenoid Arm R Assy	1
29	OC08703A	Slide Base Collar	2	29	OC08703A	Slide Base Collar	2
30	CA08718A	Reel Mechanism Assy	1	30	CA08718A	Reel Mechanism Assy	1
31	OC08807A	Thrust Stud	1	31	OC08807A	Thrust Stud	1
32	CA08609C	Supply Flywheel Assy	1	32	CA08610B	Supply Flywheel Assy	1
33	CA08610B	Supply Flywheel Assy	1	33	CA08609C	Take-up Flywheel Assy	1
34	OC08781A	Captain Belt	1	34	OC08781A	Captain Belt	1
35	OC08783A	V. Pulley Belt	1	35	OC08783A	V. Pulley Belt	1
36	OC08692A	Thrust Plate	2	36	OC08692A	Thrust Plate	2
37	OC08752B	Flywheel Plate B	1	37	OC08752B	Flywheel Plate B	1
38	OJ04901B	Cover Plate	1	38	OJ04901B	Cover Plate	1
39	OC08998A	Take-up Pressure Roller Spring	1	39	OC08998A	Take-up Pressure Roller Spring	1
L01	OE00042A	E-Ring 1.5mm	4	L01	OE00042A	E-Ring 1.5mm	4
L02	OE00841A	BT2x4 @ Pan	1	L02	OE00841A	BT2x4 @ Pan	1
L03	OC08826C	Slide Washer A	2	L03	OC08826C	Slide Washer A	2
L04	OC08827B	Slide Washer B	1	L04	OC08827B	Slide Washer B	1
L05	OE03196A	Mylar Washer 2.6mm 2.6x5x0.125	4	L05	OE03196A	Mylar Washer 2.6mm 2.6x5x0.125	4
L06	OE03197A	M2.6x4 @ Pan (Black Chromate)	2	L06	OE03197A	M2.6x4 @ Pan (Black Chromate)	2
L07	OE03183A	M1.7x2.2 @ Pan (Black Chromate)	2	L07	OE03183A	M1.7x2.2 @ Pan (Black Chromate)	2
L08	OE03241A	M3x4 @ Binding	4	L08	OE03241A	M3x4 @ Binding	4
L09	OE03189A	M2x3 @ Countersunk (Black Chromate)	6	L09	OE03189A	M2x3 @ Countersunk (Black Chromate)	6
L10	OE03246A	M1.6x3 @ Pan (Black Chromate)	2	L10	OE03246A	M1.6x3 @ Pan (Black Chromate)	2
L11	OE03196A	M2.6x2.8 @ Pan (Black Chromate)	1	L11	OE03196A	M2.6x2.8 @ Pan (Black Chromate)	1
L12	OE03200A	Nylon Washer 2mm 2.0x3.5x0.13	1	L12	OE03200A	Nylon Washer 2mm 2.0x3.5x0.13	1
L13	OE03179A	Nylon Washer 2.3mm 2.3x3.5x0.13	1	L13	OE03179A	Nylon Washer 2.3mm 2.3x3.5x0.13	1
L14	OE00222A	E-Ring 2mm	4	L14	OE00222A	E-Ring 2mm	4
L15	OE03206A	Nylon Washer 3.1x6x0.5	1	L15	OE03206A	Nylon Washer 3.1x6x0.5	1
L16	OE03199A	Washer 1.8x3.8x0.3 (Nickel)	2	L16	OE03199A	Washer 1.8x3.8x0.3 (Nickel)	2
L17	OE00120A	M2.6x3 @ Pan	4	L17	OE00120A	M2.6x3 @ Pan	4
L18	OE03062A	Mylar Washer 2.6mm 2.6x5x0.25	4	L18	OE03062A	Mylar Washer 2.6mm 2.6x5x0.25	4
L19	OE03242A	M2.6x3 Hex. Socket Head	1	L19	OE03242A	M2.6x3 Hex. Socket Head	1
L20	OE03248A	M2x2.5 @ Pan	2	L20	OE03243A	M2x2.5 @ Pan	2

# 7.8. Loading Mechanism Assy (B05)




Fig. 7.8

Schematic Ref. No.	Part No.	Description	Qty
B05	CA08667A	Loading Mechanism Ass'y Serial No.: C60501001 - C60701001 -	1
01	OC08812A	Idler Roller L	1
02	CA08655B	P Arm L Ass'y	1
03	OC08872A	Function Spring	1
04	OC08840D	Idle Gear L	1
05	OC08842B	Loading Pulley	1
06	OC08784B	Loading Belt	1
07	CA08677A	Solenoid Plate Ass'y	1
08	CA08654B	Eject Arm Ass'y	1
09	OC08874A	Eject Arm Spring	1
10	OC08844C	Worm Gear	1
11	OC08873B	Flexible Spring	1
12	OC08839B	Loading Gear A	1
13	OC08871A	Loading Arm Spring C	1
14	OC08831B	Loading Arm C	1
15	OC08841B	Eject Gear	1
16	CA08675A	Loading Arm Ass'y	1
17	OC08789B	Head Base Cam Gear	1
18	CA08676A	Head Base Arm Ass'y	1
19	OC08793A	Head Base Arm Shaft	1
20	0B09629A	Carbon Resistor 10K 1/8W J	1
21	CA08652B	Main Motor Ass'y	1
22	0B82305A	4P-H Connector	1
23	0B70001A	Loading Switch	1
24	CA08653C	Motor Chassis Ass'y	1
25	0J04899A	Tone Volume Insulator	1
26	OC08893B	Solenoid Protector	1
L01	OE03182A	E-Ring 0.8mm	1
L02	OE00042A	E-Ring 1.5mm	6
L03	OE03061A	Mylar Washer 2.1mm 2.1x4x0.25	5
L04	OE03205A	Mylar Washer 3.1mm 3.1x4.9x0.125	2
L05	OE00226A	M2.6x4 @ Pan	1
L06	OE00922A	M2x3 @ Pan	2
L07	OE00222A	E-Ring 2mm	2
L08	OE03181A	Mylar Washer 1.6mm 1.6x3.5x0.25	2
L09	OE03185A	M1.7x6 @ Pan (Black Chromate)	1
L10	OE03183A	M1.7x2.2 @ Pan (Black Chromate)	1
L11	OE03186A	M2.6x2.8 @ Pan (Black Chromate)	2
L12	OE00905A	Earth Lug B	1
C01	CA08679A	Head Slider Ass'y Serial No.: C60501001 - C60701001 -	1
01	OC08679A	Head Hold Spring	1
02	OC08688B	Asimuth Screw	1
03	OC08749B	Head Mount Plate	1
04	OC08466A	Slide Cam Spring	1
05	OC08708A	Asimuth Adjust Plate	1
06	CA08635D	Head Base Ass'y	1
L01	OE00042A	E-Ring 1.5mm	1
L02	OE03191A	Washer 2.5mm 2.5x6.5x0.5	2
L03	OE03272A	PL1.7x3.5 @ Pan	1
C02	CA08678A	Master Plate Ass'y Serial No.: C60501001 - C60701001 -	1
01	CA08632E	Control Plate Ass'y	1
02	CA08615A	RF Selector Arm R Ass'y	1
03	CA08614A	FR Selector Arm L Ass'y	1
04	OC08705A	Drive Pin	1
05	OC08678A	FF Selector Plate	1
06	OC08882A	FF Limiter Spring	1
L01	OE00222A	E-Ring 2mm	2
L02	OE03196A	Mylar Washer 2.6mm 2.6x5x0.125	2
L03	OE00042A	E-Ring 1.5mm	1

7.9. Head Slider Ass'y (C01)




Fig. 7.9

7.10. Master Plate Ass'y (C02)




Fig. 7.10

7.11. Reel Mechanism Ass'y (C03)




Fig. 7.11

7.12. Solenoid Plate Ass'y (D01)




Fig. 7.12

7.13. Loading Arm Ass'y (D02)




Fig. 7.13

7.14. Head Base Arm Ass'y (D03)




Fig. 7.14

## 7.15. FF Arm Ass'y (E01)




Fig. 7.15

## 7.16. Rewind Arm Ass'y (E02)




Fig. 7.16

Schematic Ref. No.	Part No.	Description	Q'ty	Schematic Ref. No.	Part No.	Description	Q'ty
C03	CA08718A	Reel Mechanism Ass'y Serial No.: C60503399 - C60701251 -	1	D01	CA08677A	Solenoid Plate Ass'y Serial No.: C60501001 - C60701001 -	1
01	OC08727A	Idler Gear	1	01	OC08834B	Stop Arm L	1
02	OC08676B	Pinion Gear	1	02	OC08838A	Stop Arm Shaft	1
03	CA08627B	Pivot Suspension Arm Ass'y	1	03	OC08875A	Stop Arm Spring	1
04	OC08866A	Pivot Suspension Arm Spring	1	04	0B90029A	Eject Solenoid	1
05	OC08864B	Brake Spring	1	05	OC08833A	Solenoid Plate	1
06	OC08690A	Brake Shoe	2	L01	OE00222A	E-Ring 2mm	1
07	OC08723B	RB Plate	1	L02	OE03199A	Washer 1.8mm	1
08	CA08639F	Take-up Reel Hub Ass'y	1	L03	OE03183A	M1.7x2.2 @Pan (Black Chromate)	1
09	CA08641F	Supply Reel Hub Ass'y	1	L04	OE00922A	M2x3 @Pan (Black Chromate)	2
10	OC08742A	Back Tension Disc	1				
11	BA05614B	Shut-off P.C.B. Ass'y	1	D02	CA08675A	Loading Arm Ass'y Serial No.: C60501001 - C60701001 -	1
12	OC08729B	Idler Gear	1				
13	OC08709A	Back Tension Arm	1	01	OC08795B	Main Shaft L	1
14	OC08865A	Back Tension Arm Spring	1	02	CA08645A	Loading Arm B Ass'y	1
15	CA08634D	Reel Chassis Ass'y	1	03	OC08870A	Loading Arm Spring B	1
16	CA08672A	FF Arm Ass'y	1	04	OC08801B	Loading Arm A	1
17	CA08671A	Rewind Arm Ass'y	1	05	OC08869C	Loading Arm Spring A	1
18	OC08778A	FR Drum	1	06	OC08791B	Loading Gear B	1
19	CA08631A	Clutch Disc Ass'y	1	L01	OE03181A	Mylar Washer 1.6mm 1.6x3.5x0.25	1
20	CA08673A	Magnet Clutch Pulley Ass'y	1				
L01	OE03181A	Mylar Washer 1.6mm 1.6x3.5x0.25	4	D03	CA08676A	Head Base Arm Ass'y Serial No.: C60501001 - C60701001 -	1
L02	OE00104A	E-Ring 5mm	1	01	OC08786A	Roller 1.5x4x2.5	1
L03	OE00042A	E-Ring 1.5mm	6	02	CA08642B	Head Base Arm Sub Ass'y	1
L04	OE03195A	Nylon Washer 3.6mm 3.6x6x0.25	1	L01	OE00165A	E-Ring 1.2mm	1
L05	OE03193A	Nylon Washer 2.1mm 2.1x7x0.25	2				
L06	OE00922A	M2x3 @Pan	1	E01	CA08672A	FF Arm Ass'y Serial No.: C60501001 - C60701001 -	1
C03	CA08670A	Reel Mechanism Ass'y Serial Nos.: C60501001 - 03398 C60701001 - 01250	1	01	OC08731A	F Idler A	1
01	OC08727A	Idler Gear	1	02	CA08626C	FF Arm Sub Ass'y	1
02	OC08676B	Pinion Gear	1	L01	OE03181A	Mylar Washer 1.6mm 1.6x3.5x0.25	1
03	CA08627B	Pivot Suspension Arm Ass'y	1	L02	OE03187A	Nylon Washer FT 20 2.1x4.0x0.25	1
04	OC08866A	Pivot Suspension Arm Spring	1				
05	OC08864B	Brake Spring	1	E02	CA08671A	Rewind Arm Ass'y Serial No.: C60501001 - C60701001 -	1
06	OC08690A	Brake Shoe	2	01	OC08731A	F Idler A	1
07	OC08723B	RB Plate	1	02	CA08624B	Rewind Arm Sub Ass'y	1
08	CA08639F	Take-up Reel Hub Ass'y	1	L01	OE03181A	Mylar Washer 1.6mm 1.6x3.5x0.25	1
09	CA08641F	Supply Reel Hub Ass'y	1	L02	OE03187A	Nylon Washer FT 20 2.1x4.0x0.25	1
10	OC08742A	Back Tension Disc	1				
11	BA05642A	Shut-off P.C.B. Ass'y	1				
12	OC08729B	Idler Gear	1				
13	OC08709A	Back Tension Arm	1				
14	OC08865A	Back Tension Arm Spring	1				
15	CA08634D	Reel Chassis Ass'y	1				
16	CA08672A	FF Arm Ass'y	1				
17	CA08671A	Rewind Arm Ass'y	1				
18	OC08778A	FR Drum	1				
19	CA08631A	Clutch Disc Ass'y	1				
20	CA08673A	Magnet Clutch Pulley Ass'y	1				
L01	OE03181A	Mylar Washer 1.6mm 1.6x3.5x0.25	4				
L02	OE00104A	E-Ring 5mm	1				
L03	OE00042A	E-Ring 1.5mm	6				
L04	OE03195A	Nylon Washer 3.6mm 3.6x6x0.25	1				
L05	OE03193A	Nylon Washer 2.1mm 2.1x7x0.25	2				
L06	OE00922A	M2x3 @Pan	1				

## 8. MOUNTING DIAGRAMS AND PARTS LIST

Notes: 1. Mounting diagram shows a dip side view of the printed circuit board.

2. Diode is MA221 or RLS-73 unless otherwise specified.

3. Following transistors are interchangeable with each other.

2SC945, 2SC536SP, 2SC2458, 2SC2785

4. Abbreviation for part name:

TR - Transistor, SiD - Silicon Diode, ZD - Zener Diode

RK - Carbon Resistor, RM - Metal Film Resistor, RF - Fail Safe Type Resistor

CE - Electrolytic Capacitor, CM - Mylar Capacitor, CC - Ceramic Capacitor, CP - PP Capacitor,

CT - Tantalum Capacitor

8.1. Line Filter P.C.B. Ass'y




Fig. 8.1

8.2. Transistor P.C.B. Ass'y



Fig. 8.2

8.3. Shut-off P.C.B. Ass'y



Fig. 8.3

8.4. Lamp P.C.B. Ass'y




Fig. 8.4

8.5. Solenoid P.C.B. Ass'y




Fig. 8.5

Schematic Ref. No.	Part No.	Description
	BA05501A	Line Filter P.C.B. Ass'y
D401	OB60126B	Line Filter P.C.B.
L401	OB6458A	SiD 30D-2
C401	OB06707A	Choke Coil
C402	OB09292A	CC 0.1μ 50V Z
	OB09894A	CE 2200μ 16V
	OB8068B	GND Cable (1)
	OB8068A	ACC Cable (1)
	OB90019A	SK Binder (2)
	BA05497A	Transistor P.C.B. Ass'y
Q405	OB60123A	Transistor P.C.B.
FC1	OB66303A	TR 2SB772 (P,Q)
	OB82346A	Flat Cable 3P 120mm
	OJ04855B	Wire Holder
	OE00507A	Nut Hex, M3 (1)
	OE00510A	M3x8 @ Pan (2A) (1)
	BA05614B	Shut-off P.C.B. Ass'y
		Serial No.: C60503399 - C60701261 -
IC604	OB60103B	Shut-off P.C.B.
CN9	OB11062A	Hall IC DN6838
	OB82358A	3P-H Connector 50mm
	BA05429A	Shut-off P.C.B. Ass'y
		Serial No.: C60501001 - 03398 C60701001 - 01250
IC604	OB60103A	Shut-off P.C.B.
CP3	OB11062A	Hall IC DN6838
	OB82297B	3P Coupler
	BA05484A	Lamp P.C.B. Ass'y
PL601,602	OB60121A	Lamp P.C.B.
603	OB90030A	Lamp 65mA 14V
	OH04670B	Illuminator B (1)
	BA05430A	Solenoid P.C.B. Ass'y
CN8	OB60117B	Solenoid P.C.B.
	OB81042A	RP-S Post

### 8.6. Buffer Amp. P.C.B. Ass'y




Fig. 8.6

### 8.7. Control P.C.B. Ass'y




Fig. 8.7

### 8.8. Volume P.C.B. Ass'y




Fig. 8.8

Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description
	BA05516A	Buffer Amp. P.C.B. Ass'y (except for Japan)		BA05422A	Volume P.C.B. Ass'y TD-700 & TD-700E
				BA05466A	Volume P.C.B. Ass'y TD-700D
Q301	0B60132A	Buffer Amp. P.C.B. FET 2SK161	CN4	0B60115A	Volume P.C.B.
L301	0B51198A	RF Coil		0B30011A	Volume 12mm
R301	0B09701A	RK 10K 1/6W J		0B82305A	2P-H Connector
R302	0B09665A	RK 330 1/6W J		0B81269B	Pin Jack Cable BLK TD-700 & TD-700E (1)
C301	0B41019A	CC 0.01μ 25V		0B81280A	Pin Jack Cable GRAY TD-700 & TD-700E (1)
C302	0B41007A	CC 1000P 25V		0B81275B	Socket 7P TD-700D (1)
LED601-605	BA05415A	Control P.C.B. Ass'y		0E03123A	Earth Lug M2.6 (1)
SW601,602,604,605	0B60111B	Control P.C.B. LED SLP202C Green		0B80078B	Shield Wire A (Yellow) (1)
SW603	0B70020A	Tact Switch		0B80079B	Shield Wire B (Red) (1)
	0B70032A	Tact Switch Reflector A (5)		0B80080B	Shield Wire C (Black) (1)
	0J04845A				

[illegible]

Schematic Ref. No.	Part No.	Description
	<b>BA05613A</b>	<b>Tone Volume P.C.B. Ass'y</b> Serial No.: C605013851 - C60701301 -
IC304	0B60114C 0B11155A	Tone Volume P.C.B. IC LF353N (Low Noise)
VR302,304 VR303 R140,143 240,243 R141,144 241,244 R142,145 242,245 R146,246 R150,250 R151,251 C123,223 C124,224 C125,225 C126,226 C127,227 C128,228 CP1 CP2	0B30012A 0B30013A 0B23085A 0B23079A 0B23097A 0B25001A 0B23109A 0B23111A 0B41175A 0B41176A 0B41373A 0B09045A 0B41386A 0B08235A 0B82383A 0J48548A	VR 100K (B)x2 VR 500K (B)x2 RK 3.3K 1/8W J RK 1.8K 1/8W J RK 10K 1/8W J RK 10M 1/8W J RK 33K 1/8W J RK 39K 1/8W J CM 0.15 $\mu$ 50V J CM 0.22 $\mu$ 50V J CM 0.068 $\mu$ 50V J CM 0.027 $\mu$ 50V J CP 100P 100V J CP 680P 100V J 6P Coupler 2P Coupler Tone Volume Holder (1)
	<b>BA05421A</b>	<b>Tone Volume P.C.B. Ass'y</b> Serial Nos.: C60501001 - 03550 C60701001 - 01300
IC304 VR302,304 VR303 R140,143 240,243 R141,144 241,244 R142,145 242,245 R146,246 R150,250 R151,251 C123,223 C124,224 C125,225 C126,226 C127,227 C128,228 CP1 CP2	0B60114C 0B11032A 0B30012A 0B30013A 0B23073A 0B23069A 0B23093A 0B23145A 0B23111A 0B23109A 0B41177A 0B41176A 0B41176A 0B05582A 0B41213A 0B41121A 0B82292A 0B82294B 0B90021A 0J48548A	Tone Volume P.C.B. IC LF353N VR 100K (B)x2 VR 500K (B)x2 RK 1K 1/8W J RK 680 1/8W J RK 6.8K 1/8W J RK 1M 1/8W J RK 39K 1/8W J RK 33K 1/8W J CM 0.33 $\mu$ 50V J CM 0.15 $\mu$ 50V J CM 0.22 $\mu$ 50V J CM 0.022 $\mu$ 50V J CP 330P 100V J CP 680P 100V G 6P Coupler 2P Coupler Band E-g-9 (1) Tone Volume Holder (1)



8.10. Motor P.C.B. Ass'y




Fig. 8.10

Schematic Ref. No.	Part No.	Description
	<b>BA05414B</b>	<b>Motor P.C.B. Ass'y</b>
IC301	OB60110D	Motor P.C.B.
Q601,503	OB06457A	IC NJM072
Q502	OB14151A	TR FN144M
Q504	OB14144A	TR FA1A4M
	OB14146A	TR FA1A4M
D301,302	OB13064A	SID MA221
501,502		
503,504		
505		
D506	OB06109A	SID GP08B
L501	OB51183A	Micro Coil 100μH
R101,201	OB23129A	RK 220K 1/8W J
R301,302	OB23081A	RK 2.2K 1/8W J
506		
R303,304	OB23135A	RK 390K 1/8W J
R305,502	OB23087A	RK 10K 1/8W J
R306	OB23093A	RK 6.8K 1/8W J
R307	OB23121A	RK 100K 1/8W J
R311	OB23094A	RK 7.5K 1/8W J
R501	OB23089A	RK 4.7K 1/8W J
R503	OB23060A	RK 300 1/8W J
R504	OB26011A	RM 1.1K 1/8W F
R505	OB23113A	RK 47K 1/8W J
C301,303	OB05583A	CM 0.033μ 50V J
C305,306	OB40209A	CE 0.33μ 50V
C501	OB40162A	CE 10μ 16V
CN5	OB81231A	4P-T Post
CN6	OB81041A	7P-S Post
CN7	OB81027A	4P-T Post
CP5	OB82300A	2P Coupler

8.11. Tuner P.C.B. Ass'y  
(1) For TD-700  
(U.S.A. & Canada)




Fig. 8.11.1

Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description
	BA05424B	Tuner P.C.B. Ass'y TD-700 (U.S.A. & Canada)	C326	OB41191A	C 68P 100V J
			C327	OB05687A	CM 1200P 50V J
			C328,329	OB05571A	CM 680P 50V J
			C331	OB41386A	CP 100P 50V J
	OB60116E	Tuner P.C.B.	C332	OB05796A	CM 0.047μ 50V J
IC301	OB06412A	IC LA1140	C334,338	OB40263A	CE 1μ 50V K
IC302	OB06414A	IC LA2110	C335	OB40264A	CE 3.3μ 35V K
IC303	OB06415B	IC LA3375N	C336	OB41225A	CP 100P 100V J
IC601	OB11066A	IC LC4049B	C337	OB05583A	CM 0.032μ 50V J
Q302	OB14022A	TR 2SC1623	C601	OB43055A	OC 330P 50V K
Q303	OB01872A	TR 2SC9451 (P.Q)	C602	OB43025A	CT 1μ 16V
ZD601	OB06241A	ZD 6.8V RD6.8EB2	C605	OB43020A	CT 10μ 10V
D301,302 303,601 602	OB13064A	SID MA221	C606	OB40162A	CE 10μ 16V
			CF301	OB41076A	Ceramic Filter SFE10.7MS3GKY
D304	OB06298A	SID 1SS176	CN3	OB81036A	2P-S Post (1)
D305,604	OB13003A	SID RLS-73	PCN2	OB81283A	3P-S Post (1)
D603	OB06181A	SID 1SS53	PCN3	OB43058A	4P Connector (1)
L301	OB51106A	Micro Coil 2.2μH	PCN4	OB82286A	7P Connector (1)
L302	OB51142A	Det. Coil 57-1291-01		OE00764A	M2.6x6 @ Pan (2A)
		Det Coil 57-1057-01			(1)
L303	OB06712A	Micro Coil 1mH		OJ04869A	P.C.B. Holder Stud (1)
L601	OB51040A	Potentiometer 10K		OB81117A	Contact Pin 1P (4)
VR301,302	OB32035A	Potentiometer 100K		OJ04871B	Shield Case (1)
VR303	OB32038A	Potentiometer 100K			
R101,201 326	OB23081A	RK 2.2K 1/8W J			
R102,202	OB23069A	RK 680 1/8W J			
R103,203	OB23099A	RK 12K 1/8W J			
R104,105 204,205	OB23075A	RK 1.2K 1/8W J			
R301,339	OB23053A	RK 150 1/8W J			
R302	OB23117A	RK 68K 1/8W J			
R303,317 602	OB23105A	RK 22K 1/8W J			
R304,323 332,334 340	OB23113A	RK 47K 1/8W J			
R305,327	OB23103A	RK 18K 1/8W J			
R306,330 601	OB23121A	RK 100K 1/8W J			
R307	OB05650A	RK 12K 1/4W VJ			
R308	OB23085A	RK 3.3K 1/8W J			
R309	OB23101A	RK 15K 1/8W J			
R310,312 322,328	OB23073A	RK 1K 1/8W J			
R311	OB05615A	RK 22K 1/4W J			
R313,333 386,337	OB23097A	RK 10K 1/8W J			
R314,315 316	OB23089A	RK 4.7K 1/8W J			
R318	OB05629A	RK 2.7K 1/4W J			
R319,320 338	OB23063A	RK 2.7K 1/8W J			
R321	OB01889A	RK 100K 1/4W J			
R324	OB23093A	RK 6.8K 1/8W J			
R325	OB23087A	RK 3.9K 1/8W J			
R329	OB09703A	RK 12K 1/8W J			
R331	OB23111A	RK 39K 1/8W J			
R335	OB09717A	RK 47K 1/8W J			
R603	OB23037A	RK 33 1/8W J			
C101,201	OB41233A	CP 2200P 100V J			
C102,202	OB40255A	CE 1μ 50V			
C105,203	OB41213A	CP 330P 100V J			
C104,204	OB41237A	CP 3300P 100V J			
C105,205	OB41239A	CP 3900P 100V J			
C301,302 303,306 311,312 313	OB43053A	CC 0.047μ 50V K			
C305	OB43050A	CC 1000P 50V K			
C307,603 604	OB40173A	CE 1μ 50V			
C308	OB41394A	CP 220P 50V J			
C309,330	OB40258A	CE 4.7μ 35V			
C310	OB40019A	CE 4.7μ 35V			
C314	OB40165A	CE 47μ 16V			
C315	OB40174A	CE 2.2μ 50V			
C316,317 319	OB43049A	CC 270P 50V K			
C318	OB09284A	CC 270P 50V J			
C320,333 339	OB41094A	CM 0.01μ 50V			
C321	OB40163A	CE 22μ 16V			
C322	OB01802A	CM 2200P 50V J			
C323	OB01914A	CM 3300P 50V J			
C324	OB40206A	CE 100μ 16V			
C325	OB05530A	CM 6800P 50V J			

(2) For TD-700 (Australia & Others), TD-700E and TD-700D




Fig. 8.11.2

Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description
	BA05458A	Tuner P.C.B. Am'y TD-700 (Australia & Others), TD-700E & TD-700D	C328,329 C331 C332 C334,338 C335 C336 C337 C601 C602 C605 C606 CF301	0B05571A 0B41386A 0B05796A 0B40263A 0B40264A 0B41225A 0B05583A 0B43055A 0B43025A 0B43020A 0B40162A 0B41076A	CM 680P 50V J CP 100P 50V J CM 0.047μ 50V J CE 1μ 50V K CE 3.3μ 35V K CP 1000P 100V J CM 0.033μ 50V J CC 330P 50V K CT 1μ 16V CT 10μ 10V CE 10μ 16V Ceramic Filter
IC301 IC302 IC303 IC601 Q302 Q303 ZD601 D301,302 303,601 602 D304 D305,604 D603 L301 L302 L303 L601 VR301,302 VR303 R101,102 105,201 202,205 R103,203 R104,204 R301 R302 R303,308 317,602 R304,323 331,332 334 R305,327 R306,330 601 R307 R310,312 322,328 R311 R313,333 336,337 R314,315 316 R318 R319,320 338 R321 R324 R325 R326 R329 R335 R603 C101,104 201,204 C102,202 C103,203 C105,205 C301,302 303,306 311,312 313 C305 C307,310 603,604 C308 C309,330 C314 C315 C316,317 319 C318 C320,333 339 C321 C322 C323 C324 C325 C326 C327	0B06116E 0B06412A 0B06414A 0B06415B 0B11066A 0B14022A 0B01872A 0B06241A 0B13064A 0B06398A 0B13003A 0B06181A 0B51106A 0B51142A 0B06712A 0B51040A 0B32035A 0B32038A 0B23077A 0B23099A 0B23079A 0B23061A 0B23115A 0B23105A 0B23113A 0B23103A 0B23121A 0B05562A 0B23078A 0B05615A 0B23097A 0B23089A 0B05629A 0B23083A 0B01889A 0B23093A 0B23087A 0B23081A 0B09703A 0B09717A 0B23037A 0B41233A 0B43055A 0B40173A 0B41394A 0B40258A 0B40165A 0B40174A 0B43049A 0B09284A 0B41094A 0B40163A 0B01802A 0B01914A 0B40206A 0B05530A 0B41191A 0B05687A	Micro Coll. 1mH Potentiometer 10K Potentiometer 100K RK 1.5K 1/8W J RK 12K 1/8W J RK 1.8K 1/8W J RK 330 1/8W J RK 56K 1/8W J RK 22K 1/8W J RK 47K 1/8W J RK 18K 1/8W J RK 100K 1/8W J RK 47K 1/4W VJ RK 1K 1/8W J RK 22K 1/4W J RK 10K 1/8W J RK 4.7K 1/8W J RK 2.7K 1/4W J RK 2.7K 1/8W J RK 100K 1/4W J RK 6.8K 1/8W J RK 3.9K 1/8W J RK 2.2K 1/8W J RK 12K 1/8W J RK 47K 1/8W J RK 33 1/8W J CP 2200P 100V J CE 1μ 50V CP 330P 100V J CP 2700P 100V J CC 0.047μ 50V K CC 1000P 50V K CE 1μ 50V CP 220P 50V J CE 4.7μ 35V CE 47μ 16V CE 2.2μ 50V CC 270P 50V K CC 270P 50V J CM 0.01μ 50V CE 22μ 16V CM 2200P 50V J CM 3300P 50V J CE 100μ 16V CM 6800P 50V J C 68P 100V J CM 1200P 50V J	CN3 PCN2 PCN3 PCN4	0B81036A 0B81283A 0B82288A 0B82289A 0E00764A 0J04869A 0B81117A 0J04871B	2P-S Post (1) 3P-S Post (1) 4P Connector (1) 7P Connector (1) M2,6x6 Φ Fan (2A) (1) P.C.B. Holder Stud (1) Contact Pin 1P (4) Shield Case (1)

(3) For TD-700 (Japan)




Fig. 8.11.3

Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description
	BA05423A	Tuner P.C.B. Ass'y TD-700 (Japan)	C332	0B05796A	CM 0.047 $\mu$ 50V J
			C334,338	0B40263A	CE 1 $\mu$ 50V K
IC301	0B06116E	Tuner P.C.B.	C335	0B40264A	CE 3.3 $\mu$ 35V K
IC302	0B06412A	IC LA1140	C336	0B41225A	CP 1000P 100V J
IC303	0B06414A	IC LA2110	C337	0B05583A	CM 0.033 $\mu$ 50V J
IC601	0B06415B	IC LA3375N	C601	0B43055A	CC 330P 50V K
Q302	0B11066A	IC LC4049B	C602	0B43025A	CT 1 $\mu$ 16V
Q303	0B14022A	TR 2SC1623	C605	0B43020A	CT 10 $\mu$ 10V
Q303	0B01872A	TR 2SC945L (P,Q)	C606	0B40162A	CE 10 $\mu$ 16V
ZD601	0B06241A	ZD 6.8V RD6,8EB2	CF301	0B41075A	Ceramic Filter SFE10.7MLK-A
D301,302	0B13064A	SiD MA221	CN3	0B81036A	2P-S Post (1)
303,601			PCN2	0B81283A	3P-S Post (1)
602			PCN3	0B82288A	4P Connector (1)
D304	0B06398A	SiD 1SS176	PCN4	0B82289A	TP Connector (3)
D305,604	0B13003A	SiD RLS-73		0E00764A	M2.6x6 #Pan (2A)
D603	0B06181A	SiD 1SS53			(1)
L301	0B51106A	Micro Coil 2.2 $\mu$ H		0J04869A	P.C.B. Holder Stud (1)
L302	0B51142A	Det. Coil 57-1291-01		0B81117A	Contact Pin 1P (4)
L303	0B06712A	Det. Coil 57-1057-01		0J04871B	Shield Case (1)
L601	0B51040A	Micro Coil 1mH			
VR301,302	0B32035A	Potentiometer 10K			
VR303	0B32038A	Potentiometer 100K			
R101,201	0B23081A	RK 2.2K 1/8W J			
326					
R102,202	0B23073A	RK 1K 1/8W J			
310,312					
322,328					
R103,203	0B23099A	RK 12K 1/8W J			
R104,204	0B23079A	RK 1.8K 1/8W J			
R105,205	0B23077A	RK 1.5K 1/8W J			
R301	0B23061A	RK 330 1/8W J			
R302	0B23115A	RK 56K 1/8W J			
R303,308	0B23105A	RK 22K 1/8W J			
317,602					
R304,323	0B23113A	RK 47K 1/8W J			
331,332					
334					
R305,327	0B23103A	RK 18K 1/8W J			
R306,330	0B23121A	RK 100K 1/8W J			
601					
R307	0B05561A	RK 18K 1/4W VJ			
R311	0B05615A	RK 22K 1/4W J			
R313,333	0B23097A	RK 10K 1/8W J			
336,337					
R314,315	0B23089A	RK 4.7K 1/8W J			
316					
R318	0B05629A	RK 2.7K 1/4W J			
R319,320	0B23083A	RK 2.7K 1/8W J			
338					
R321	0B01889A	RK 100K 1/4W J			
R324	0B23093A	RK 6.8K 1/8W J			
R325	0B23087A	RK 3.9K 1/8W J			
R329	0B09703A	RK 12K 1/6W J			
R335	0B09717A	RK 47K 1/6W J			
R603	0B23037A	RK 33 1/8W J			
C101,104	0B41233A	CP 2200P 100V J			
201,204					
C102,202	0B40255A	CE 1 $\mu$ 50V			
C103,203	0B41213A	CP 330P 100V J			
C105,205	0B41235A	CP 2700P 100V J			
C301,302	0B43053A	CC 0.047 $\mu$ 50V K			
303,306					
311,312					
313					
C305	0B43050A	CC 1000P 50V K			
C307,603	0B40173A	CE 1 $\mu$ 50V			
604					
C308	0B41394A	CP 220P 50V J			
C309,330	0B40258A	CE 4.7 $\mu$ 35V			
C310,315	0B40174A	CE 2.2 $\mu$ 50V			
C314	0B40165A	CE 47 $\mu$ 16V			
C316,317	0B43049A	CC 270P 50V K			
319					
C318	0B09284A	CC 270P 50V J			
C320,333	0B41094A	CM 0.01 $\mu$ 50V			
339					
C321	0B40163A	CE 22 $\mu$ 16V			
C322	0B01802A	CM 2200P 50V J			
C323	0B01914A	CM 3300P 50V J			
C324	0B40206A	CE 100 $\mu$ 16V			
C325	0B05530A	CM 6800P 50V J			
C326	0B41191A	C 68P 100V J			
C327	0B05687A	CM 1200P 50V J			
C328,329	0B05571A	CM 680P 50V J			
C331	0B41386A	CP 100P 50V J			





8.12. Amp. P.C.B. Assy





Fig. 8.12

Fig. 8.13.1 C60504101 - (TD-700 & TD-700E)

Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description
BA05618A		Logic P.C.B. Assy	ZD411	OB13026A	ZD 9V		OB91004A	Front-end TD-700
BA05619A		Logic P.C.B. Assy	D403,404	OB06109A	RLZ9.1BTE-11		OB91003A	(U.S.A. & Canada)
		TD-700 (U.S.A. & Canada)	405,406		SID GP08B			Front-end TD-700
BA05620A		Logic P.C.B. Assy	412					(Japan)
		TD-700 (Australia & Others)	D409,410	OB13003A	SID RLS-73		— Miscellaneous —	
BA05622A		Logic P.C.B. Assy	D413,414	OB13064A	SID MA221		OB60109F	Logic P.C.B.
		TD-700D	R401,409	OB23089A	RK 4.7K 1/8W J	CN9	OB81037A	3P-S Post
		Serial No.: C60504101-	R404	OB05795A	RK 150 1/4W J		OB81273B	4P Terminal (1)
			R405	OB26012A	RM 3.57K 1/8W F		OB82290A	4P Connector (1)
			R406,412	OB26013A	RM 3.32K 1/8W F		OB82291A	7P Connector (1)
			412				OB82298B	2P Coupler (1)
			R407	OB23053A	RK 150 1/8W J		OB82307C	7P-H Connector (1)
			R408	OB23051A	RK 120 1/8W J		OB82309B	SP-H Connector (1)
			R410	OB23073A	RK 1K 1/8W J		OB82334A	3P Connector (1)
			R411,414	OB23150A	RK 220 1/4W J		OB82336A	6P Connector (1)
			R415	OB23097A	RK 10K 1/8W J		OB80019A	SK Binder (1)
			R416	OB23119A	RK 82K 1/8W J		OB00174A	Earth Lug B-4 (4)
			R417	OB23109A	RK 33K 1/8W J		OB81272B	4P Terminal Male
			R418	OB23021A	RK 6.8 1/8W J			TD-700D (1)
			R401,402	OB09292A	CC 0.1μ 50V Z		OB81273B	4P Terminal Female
			408					TD-700D (1)
			C403	OB43054A	CC 0.1μ 50V Z		BA1268B	TD-700 & TD-700E
			C404,409	OB40206A	CE 100μ 16V			(1)
			C405	OB40080A	CE 330μ 16V		BA05501A	Line Filter P.C.B.
			C406,407	OB43025A	CT 1μ 16V			Ass'y (1)
			C410,415	OB40163A	CE 22μ 16V		BA05497A	Transistor P.C.B.
			C411	OB43051A	CC 2200F 50V K			Ass'y (1)
			C412	OB43028A	CT 3.3μ 16V			
			C414	OB43020A	CT 10μ 10V			
D601-621	OB13064A	RLZ8.2CTE-11		— Reset —				
624,627		SID MA221 (23)						
X601	OB02307A	Crystal 800KHz	Q501,502	OB14022A	TR 2SC1623			
R605,620	OB24035A	RF 180 1/2W J	Q503	OB14153A	TR FN1A4M			
653			Q504	OB14027A	TR 2SA812			
R606	OB24041A	RF 56 1/2W J	R501	OB23104A	RK 20K 1/8W J			
R607,608	OB09907A	RF 100 1/2W J	R502	OB23085A	RK 3.3K 1/8W J			
R609,610	OB23067A	RK 220 1/8W J	R503	OB23095A	RK 8.2K 1/8W J			
611,612			R504	OB23081A	RK 2.2K 1/8W J			
R613	OB23059A	RK 270 1/8W J	R505	OB23107A	RK 27K 1/8W J			
R614	OB23073A	RK 1K 1/8W J	R506	OB23097A	RK 10K 1/8W J			
R615,619	OB23097A	RK 10K 1/8W J	R507	OB23129A	RK 220K 1/8W J			
621,626			C501	OB40162A	CE 10μ 16V			
627,628			C502	OB43023A	CT 0.47μ 16V			
629,632								
633,654				— Tuner —				
657								
R616,640	OB23081A	RK 2.2K 1/8W J	Q301,302	OB14022A	TR 2SC1623			
641,655			304,305					
R617,623	OB23121A	RK 100K 1/8W J	Q303	OB14146A	TR FA1L4M			
624,634		(13)	L301	OB51106A	Micro Coil 2.2μH			
635,636			L302	OB51011A	Micro Coil 4.7μH			
637			R301,308	OB23097A	RK 10K 1/8W J			
658-663			311,316					
R622,638	OB23145A	RK 1M 1/8W J	R302,304	OB23073A	RK 1K 1/8W J			
R630	OB23089A	RK 4.7K 1/8W J	305,309					
645-648		(5)	319					
R631	OB23099A	RK 12K 1/8W J	R303	OB23089A	RK 4.7K 1/8W J			
R639	OB23133A	RK 330K 1/8W J	R306	OB23085A	RK 3.3K 1/8W J			
R642	OB23129A	RK 220K 1/8W J	R307	OB23061A	RK 330 1/8W J			
R643,644	OB23085A	RK 3.3K 1/8W J	R310	OB23041A	RK 47K 1/8W J			
R649,650	OB23075A	RK 1.2K 1/8W J	R312,313	OB23121A	RK 100K 1/8W J			
R652	OB24040A	RF 150 1/2W J	315,317					
CM01,602	OB43048A	CC 220F 50V K	R314	OB23109A	RK 33K 1/8W J			
C603	OB40163A	CE 22μ 16V			(except for U.S.A. & Canada)			
C604	OB43028A	CT 3.3μ 16V		OB23117A	RK 68K 1/8W J			
C605	OB43037A	CT 0.33μ 35V			(U.S.A. & Canada)			
C606,607	OB43025A	CT 1μ 16V		OB09653A	RK 100 1/8W J			
SW1,65	OB70018A	Push Switch	R318	OB23101A	RK 15K 1/8W J			
SW6	OB70021A	Slide Switch	R320	OB40162A	CE 10μ 16V			
SW7	OB70019A	Push Switch	C301,302	OB43050A	CC 1000F 50V K			
CN4	OB81025A	2P-T Post	C304	OB40280A	CT 4.7μ 16V			
FFC1	OB81279A	15F FFC Connector	C305	OB41094A	CM 0.01μ 50V J			
			C306	OB43053A	CC 0.047μ 50V K			
			C307	OB40163A	CE 22μ 16V			
			C308	OB43025A	CT 1μ 16V			
			C309	OB40279A	CT 3.3μ 16V			
			C310	OB43035A	CT 0.15μ 35V			
			C311	OB43047A	CC 100F 50V K			
			C313	OB41082A	CM 1000F 50V J			
			C314	OB43052A	CC 0.01μ 50V K			
				OB91005A	AM Pack (1)			
				OB91006A	Front-end TD-700			
					(Australia & Others),			
					TD-700E &			
					TD-700D			

Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description	
	BA05618A	Logic P.C.B. Assy TD-700 (Japan)	D403,404	OB06109A	SID GP08B	CN9	OB91004A	Front-end TD-700 (U.S.A. & Canada)	
	BA05619A	Logic P.C.B. Assy TD-700 (U.S.A. & Canada)	405,406 412 D409,410 D413,414				OB91003A	Front-end TD-700 (Japan)	
	BA05620A	Logic P.C.B. Assy TD-700 (Australia & Others) & TD-700E	R401,409 R404 R405 R406,412	OB13003A OB13064A OB23089A OB01933A OB26012A OB26013A			— Miscellaneous —		
	BA05622A	Logic P.C.B. Assy Serial Nos.: C60503399 - 04100 C60701251	R407 R408 R410 R411,414 R415 R416 R417 R418 C403	OB23053A OB23051A OB23073A OB23150A OB23097A OB23119A OB23109A OB23021A OB09292A	RK 150 1/8W J RK 120 1/8W J RK 1K 1/8W J RK 220 1/4W J RK 10K 1/8W J RK 82K 1/8W J RK 33K 1/8W J RK 6.8 1/8W J CC 0.1μ 50V Z		OB60109D OB81037A OB81273B OB82290A OB82291A OB82298B OB82307C OB82309B OB82334A OB82336A OB80019A OE00174A OB81272B	Logic P.C.B. 3P-S Post 4P Terminal (1) 4P Connector (1) 7P Connector (1) 2P Coupler (1) 7P-H Connector (1) 8P-H Connector (1) 3P Connector (1) 6P Connector (1) SK Binder (1) Earth Lug B-4 (4) 4P Terminal Male TD-700D (1) 4P Terminal Female TD-700D (1)	
— CPU —							OB81268B	TD-700 & TD-700E (1)	
IC601,602	OB11063A	IC μPD4001BG						BA05501A	Line Filter P.C.B. Assy (1)
IC603	OB11061A	IC LM6413E-503						BA05497A	Transistor P.C.B. Assy (1)
IC604	OB10048A	IC STA401A	408						
QC603,612	OB14153A	TR FN1A4M	C403	OB43054A	CC 0.1μ 50V Z				
Q604	OB10017A	TR 2SA1244 (Y)	C404,409	OB40206A	CE 100μ 16V				
Q605	OB14149A	TR FA1A4M	C405	OB40080A	CE 330μ 16V				
Q606,609	OB14146A	TR FA1A4M	C406,407 C410,415	OB43025A OB23163A	CT 1μ 16V CT 22μ 16V				
Q607,608	OB14151A	TR FN1A4M	C411	OB43051A	CC 2200P 50V K				
Q611	OB14022A	TR 2SC1623	C412	OB43028A	CT 3.3μ 16V				
Q613	OB14144A	TR FA1A4M	C414	OB43020A	CT 10μ 10V				
ZD623	OB13024A	ZD 8.2V RLZ8.2CTE-11		— Reset —					
D601-621	OB13064A	SID MA221 (23)	Q501,502	OB14022A	TR 2SC1623				
824,627			Q503	OB14153A	TR FN1A4M				
X601	OB02307A	Crystal 800kHz	Q504	OB14027A	TR 2SA812				
R605,620	OB24035A	RF 180 1/2W J	R501	OB23104A	RK 20K 1/8W J				
653			R502	OB23085A	RK 3.3K 1/8W J				
R606	OB24041A	RF 56 1/2W J	R503	OB23095A	RK 8.2K 1/8W J				
R607,608	OB23057A	RK 220 1/8W J	R504	OB23081A	RK 2.2K 1/8W J				
611,612			R505	OB23107A	RK 27K 1/8W J				
R613	OB23059A	RK 270 1/8W J	R506	OB23097A	RK 10K 1/8W J				
R614	OB23073A	RK 1K 1/8W J	R507	OB23129A	RK 220K 1/8W J				
R615,619	OB23097A	RK 10K 1/8W J	C501	OB40162A	CE 10μ 16V				
621,626			C502	OB43023A	CT 0.47μ 16V				
627,628				— Tuner —					
629,632									
633,654									
R616,640	OB23081A	RK 2.2K 1/8W J	Q301,302	OB14022A	TR 2SC1623				
641,655			304,305						
R617,623	OB23121A	RK 100K 1/8W J	Q303	OB14146A	TR FA1A4M				
624,634			L301	OB51106A	Micro Coil 2.2μH				
635,636			L302	OB51011A	Micro Coil 4.7μH				
637			R301,308	OB23097A	RK 10K 1/8W J				
R618	OB21001A	R-Network 100Kx6	311,316						
R622,638	OB23145A	RK 1M 1/8W J	R302,304	OB23073A	RK 1K 1/8W J				
R630	OB23089A	RK 4.7K 1/8W J	305,309						
645-650			319						
R631	OB23099A	RK 12K 1/8W J	R303	OB23089A	RK 4.7K 1/8W J				
R639	OB23133A	RK 330K 1/8W J	R306	OB23085A	RK 3.3K 1/8W J				
R642	OB23129A	RK 220K 1/8W J	R307	OB23061A	RK 330 1/8W J				
R643,644	OB23085A	RK 3.3K 1/8W J	R310	OB23041A	RK 47 1/8W J				
R652	OB24040A	RF 150 1/2W J	R312,313	OB23121A	RK 100K 1/8W J				
C601,602	OB43048A	CC 220P 50V K	315,317						
C603	OB40163A	CE 22μ 16V	R314	OB23109A	RK 33K 1/8W J (except for U.S.A. & Canada)				
C604	OB43028A	CT 3.3μ 16V		OB23117A	RK 68K 1/8W J (U.S.A. & Canada)				
C605	OB43037A	CT 0.33μ 35V							
C606,607	OB43025A	CT 1μ 16V							
SW1-5	OB70018A	Push Switch							
SW6	OB70021A	Slide Switch	R318	OB09653A	RK 100 1/6W J				
SW7	OB70019A	Push Switch	R320	OB23101A	RK 15K 1/8W J				
CN4	OB81025A	2P-T Post	C301,302	OB40162A	CE 10μ 16V				
FFC1	OB81279A	15P FFC Connector	C303	OB43050A	CC 1000P 50V K				
			C304	OB40280A	CT 4.7μ 16V				
— Regulator —			C305	OB41094A	CM 0.01μ 50V J				
IC401,402	OB11034A	IC LA5005H	C306	OB43053A	CC 0.047μ 50V K				
Q402,403	OB14027A	TR 2SA812	C307	OB40163A	CE 22μ 16V				
404			C308	OB43025A	CT 1μ 16V				
Q406,408	OB14022A	TR 2SC1623	C309	OB40279A	CT 3.3μ 16V				
Q407	OB10017A	TR 2SA1244 (Y)	C310	OB43035A	CT 0.15μ 35V				
Q409,410	OB14153A	TR FN1A4M	C311	OB43047A	CC 100P 50V K				
Q411,412	OB14144A	TR FA1A4M	C313	OB41082A	CM 1000P 50V J				
ZD407	OB13014A	ZD 6V PLZ6.2BTE-11	C314	OB43052A	CC 0.01μ 50V K				
				OB91006A	AM Pack (1) Front-end TD-700 (Australia & Others), TD-700E & TD-700D				
ZD408	OB14121A	ZD 2.7V							
ZD411	OB13026A	ZD 9D,7MB-T1A RLZ9.1BTE-11							






Fig. 8.13.3 C60501001 - 03398 (TD-700 & TD-700E)  
C60701001 - 01250 (TD-700D)

Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description	Schematic Ref. No.	Part No.	Description
BA05407A		Logic P.C.B. Assy TD-700 (Japan)	D403.404	OB06109A	SID GP08B	CP3	— Miscellaneous —	
BA05427A		Logic P.C.B. Assy TD-700 (U.S.A. & Canada)	D403.406				OB80109C	Logic P.C.B.
BA05451A		Logic P.C.B. Assy TD-700 (Australia & Others)	D409.410	OB13003A	SID RLS-73		OB82296A	3P Coupler
BA05452A		Logic P.C.B. Assy TD-700D	D411.414	OB13004A	SID NA221		OB81273B	4P Terminal (1)
		Serial Nos.: C06051001 - 03398 C0701001 - 01250	R401.409	OB23089A	RK 4.7K 1/8W J		OB82290A	2P Connector (1)
— CPU —			R405	OB26012A	RM 3.57K 1/8W F		OB82291A	2P Connector (1)
			R412	OB26013A	RM 3.32K 1/8W F		OB82307C	7P-H Connector (1)
			R407	OB23083A	RK 150 1/8W J		OB82309B	8P-H Connector (1)
			R408	OB33013A	RK 120 1/8W J		OB82324A	3P Connector (1)
			R410	OB23073A	RK 1K 1/8W J		OB82336A	8P Connector (1)
			R411	OB23119A	RK 33K 1/8W J		OB80019A	SK Binder
			R415	OB23097A	RK 10K 1/8W J		OE00174A	Earth Lug B-4 (4)
			R416	OB23119A	RK 33K 1/8W J		OB81272B	4P Terminal Male
			R418	OB23021A	RK 6.8 1/8W J		OB81278B	4P Terminal Female
			C401.402	OB80929A	CC 0.1u 50V Z		OB81268B	4P Terminal Male
IC401.402	OB11063A	IC $\mu$ PD4001BG	C403	OB43054A	CC 0.01 50V Z	BA05501A	Line Filter P.C.B. (1)	
IC803	OB11061A	IC LM6413E-503	C405	OB40208A	CE 100u 16V		Ass'y	
IC804	OB11048A	IC STA401A	C406	OB40800A	CE 330u 16V		Ass'y	
Q405.612	OB14153A	TR FN144M	C408.407	OB43052A	CC 1u 16V		Ass'y	
Q804	OB10017A	TR 2SA1244 (Y)	C410.415	OB40163A	CE 22u 16V		Ass'y	
Q805	OB14149A	TR FA114M	C411	OB43051A	CC 2200P 50V K		Ass'y	
Q806.809	OB14146A	TR FA114M	C412	OB40208A	CE 3.3u 16V		Ass'y	
Q807.808	OB14151A	TR FN144M	C414	OB43050A	CC 10u 10V			
Q811	OB14022A	TR 2SC1623	— Reset —					
Q813	OB14144A	TR FA114M	Q501.502	OB14022A	TR 2SC1623			
ZD623	OB13024A	ZD 8.2V	Q505	OB14153A	TR FN144M			
			Q504	OB14027A	TR 2SA812			
D601.621	OB13064A	RLZ 20CTE-11	R502	OB23104A	RK 20K 1/8W J			
624.627		SID MA221 (23)	R503	OB23085A	RK 3.3K 1/8W J			
X601	OB02307A	Crystal 800KHz	R504	OB23081A	RK 2.2K 1/8W J			
R605.620	OB24035A	RF 180 1/2W J	R505	OB23107A	RK 27K 1/8W J			
R606	OB24041A	RF 56 1/2W J	R506	OB23097A	RK 10K 1/8W J			
R607.608	OB23097A	RF 100 1/2W J	R507	OB23119A	RK 220K 1/8W J			
R609.610	OB23057A	RK 220 1/8W J	C501	OB40162A	CE 10u 16V			
R611.612			C502	OB43052A	CC 0.47u 16V			
R613	OB23059A	RK 270 1/8W J	— Tuner —					
R614	OB23078A	RK 1K 1/8W J	Q301.302	OB14022A	TR 2SC1623			
RG15.619	OB23097A	RK 10K 1/8W J	304.305	OB14146A	TR FA114M			
621.626			Q303	OB31106A	Micro Coil 2.2uH			
627.628			L302	OB51011A	Micro Coil 4.7uH			
629.632			R301.308	OB23097A	RK 10K 1/8W J			
633.634			311.316	OB23073A	RK 1K 1/8W J			
641.645			305.309					
R616.640	OB23081A	RK 2.2K 1/8W J	319					
R617.623	OB23212A	RK 100K 1/8W J	R303	OB23089A	RK 4.7K 1/8W J			
624.634			R306	OB23085A	RK 3.3K 1/8W J			
635.636			R307	OB23081A	RK 330 1/8W J			
637			R310	OB23041A	RK 47 1/8W J			
R618	OB21001A	R-Network 100K $\times$ 6	A312.313	OB23212A	RK 100K 1/8W J			
RG22.638	OB23145A	RK 1M 1/8W J	315.317					
R630	OB23089A	RK 4.7K 1/8W J	R314	OB23109A	RK 33K 1/8W J			
645-650			R318	OB40208A	CC 100P 50V K			
R631	OB23099A	RK 12K 1/8W J	R320	OB23101A	RK 15K 1/8W J			
R639	OB23138A	RK 330K 1/8W J	C302	OB43052A	CC 10u 16V			
R642	OB23129A	RK 220K 1/8W J	C303	OB43050A	CC 1000P 50V K			
R643.644	OB23085A	RK 3.3K 1/8W J	C304	OB40208A	CC 4.7u 16V			
R645	OB24040A	RF 150 1/2W J	C305	OB41091A	CM 0.01u 50V J			
CM01.602	OB43048A	CC 220P 50V K	C306	OB43053A	CC 0.047u 50V K			
C603	OB40163A	CE 22u 16V	C308	OB43052A	CC 22u 16V			
C604	OB43028A	CC 3.3u 16V	C310	OB40279A	CC 3.3u 16V			
C605	OB43074A	CC 0.33u 35V	C312	OB43032A	CC 0.15u 35V			
C606.607	OB43052A	CC 1u 16V	C313	OB43047A	CC 100P 50V K			
SW1-5	OB70018A	Push Switch	C314	OB43052A	CC 0.01u 50V K			
SW2-5	OB70021A	Slide Switch		OB81006A	AM Pack			
SW7	OB70019A	Push Switch		OB91006A	Front-end TD-700 (U.S.A. & Canada)			
CN4	OB81025A	27-P Foot			TD-700D			
FFC1	OB81279A	15P FFC Connector			TD-700D			
— Regulator —								
IC401.402	OB11034A	IC LA5003H		OB91004A	Front-end TD-700 (U.S.A. & Canada)			
Q402.403	OB14027A	TR 2SA812		OB91003A	Front-end TD-700 (Japan)			
Q406.408	OB14022A	TR 2SC1623						
Q409.410	OB10017A	TR 2SA1244 (Y)						
Q411.412	OB14149A	TR FN144M						
ZD407	OB13014A	ZD 6V						
ZD408	OB14121A	ZD 2.7V						
ZD411	OB13026A	ZD 9V						
		RLZ 6.2BTE-11						
		RLZ 9.1BTE-11						

## 9. SCHEMATIC DIAGRAMS

### 9.1. IC Block Diagrams




Fig. 9.1.1 Operational Amp. IC NJM4558M, NJM072, LF353N




Fig. 9.1.2 Operational Amp. IC NJM072S-E




Fig. 9.1.3 Inverter C-MOS IC LC4049B




Fig. 9.1.4 NOR Gate C-MOS IC μPD4016G




Fig. 9.1.5 Analog Switch Selector TC9145P




Fig. 9.1.6 4-Bit Micro-processor LM6413E-503

9.2. Schematic Diagrams  
(1) Tuner Section




Fig. 9.2.1.1 TD-700E, TD-700D & TD-700 (Australia, Others & Japan)

- Notes: 1. Diode is MA221 or RLS-73 unless otherwise specified.  
2. 2SC945, 2SC536SP, 2SC2458 and 2SC2785 are interchangeable with each other.



# 10. WIRING DIAGRAMS

Notes: 1. Table of wire colors

BLU — Blue	BLU — Blue
BRN — Brown	BRN — Brown
RED — Red	VIO — Violet
ORN — Orange	GRY — Gray
YEL — Yellow	WHT — White
GRN — Green	BLK — Black

2. Component side view of the P.C.B. is illustrated unless otherwise specified.




Fig. 10.1 C60563599 - (TD-700 & TD-700E)  
C60701301 - (TD-700D)




Fig. 10.2 C60501001 - 03298 (TD-700 & TD-700E)  
C60701001 - 01300 (TD-700D)

# 11. TIMING CHART




Fig. 11

## 12. BLOCK DIAGRAMS

### 12.1. Tuner and Amplifier Section




Fig. 12.1

### 12.2. Mechanism Control Section





Fig. 12.2

[illegible]

Notes: 1. Diode is MA221 or RLS-73 unless otherwise specified.  
2. 2SC945, 2SC536SP, 2SC2458 and 2SC2785 are interchangeable with each other.

otherwise specified.  
2SC2785 are interchangeable with each other.



Note: Diode is MA221 or RLS-73 unless otherwise specified.

Fig. 9.2.3.1 C60504101 - (TD-700 & TD-700E) \*\*\*: 3P coupler (CP-3) is used for the Models be

\*\*\*: 3P coupler (CP-3) is used for the Models be  
C60501001 - 03398 (TD-700 & TD-700E)





### 13. SPECIFICATIONS

#### ● Cassette Deck Section

Tape Speed	1-7/8 ips (4.8 cm/sec.)
Wow and Flutter	Less than 0.05% WTD RMS Less than $\pm 0.1\%$ WTD Peak
Frequency Response	20–21,000 Hz $\pm 3$ dB (Nakamichi Test Tape)
Signal to Noise Ratio	Dolby C-Type NR On $< 70 \mu\text{s}$ , ZX Tape Better than 70 dB (400 Hz, 3% THD, IHF A-WTD RMS) Dolby B-Type NR On $< 70 \mu\text{s}$ , ZX Tape Better than 64 dB (400 Hz, 3% THD, IHF A-WTD RMS)
Channel Separation	Better than 34 dB (1 kHz, 0 dB)
Crosstalk	Better than 60 dB (1 kHz, 0 dB)
Winding Time	
(Fast Forward/Fast Reverse)	Approx. 75 sec. (with C-60 cassette)

#### ● Tuner Section

##### —FM—

Frequency Range	87.5–107.9 MHz
Sensitivity	18 dBf (IHF)
50 dB Quieting Sensitivity	20 dBf (Mono)
Total Harmonic Distortion	0.15% (Mono 1 kHz) Input 65 dBf 0.3% (Stereo 1 kHz) Input 65 dBf
S/N Ratio	65 dB (Mono)
Frequency Response	30–15,000 Hz $\pm 3$ dB
Alternate Channel Selectivity	65 dB ( $\pm 400$ kHz)
Capture Ratio	2 dB
Image Rejection at 98 MHz	55 dB
IF Rejection at 98 MHz	80 dB
Stereo Separation	35 dB (1 kHz) at 65 dBf
Antenna Terminals	75 ohms (unbalanced)

##### —AM—

Frequency Range	530–1620 kHz
Sensitivity	33 dB $\mu$

#### ● Preamplifier Section

Frequency Response	10–50,000 Hz $\pm 1$ dB
Output Level/Impedance	0.35 V (Low) or 1.1 V (High)/1 kohms
Total Harmonic Distortion	Less than 0.005%
Tone Control	
Bass	20 Hz $\pm 18$ dB
Mid	200 Hz $\pm 10$ dB
Treble	20 kHz $\pm 12$ dB

Dimensions	178 (W) x 50 (H) x 165 (D) mm 7 (W) x 2 (H) x 6-1/2 (D) inches
------------	---

Approximate Weight	1.9 kg/4 lb. 3 oz.
Power Source	14.4 V DC negative ground (10.8–15.6 V allowable)
Power Consumption	6.5 A Maximum

- Specifications and appearance design are subject to change for further improvement without notice.
- Noise Reduction System manufactured under license from Dolby Laboratories Licensing Corporation.
- The word "DOLBY" and the Double-D-Symbol are trademarks of Dolby Laboratories Licensing Corporation.